

IMPROVING COMFORT THROUGH QUALITY VENTILATION SOLUTIONS

The Domestic Range



- Australian designed
- Independantly tested
- Proven reliability
- Exported world wide
- 70 years experience



Our future is to remain the undisputed Australian leader in the provision of quality ventilation and comfort products, through technical innovation and excellence in customer service.

INNOVATIVE DESIGNS SINCE 1934.



SUPAVENT – OUR PREMIUM DOMESTIC VENTILATOR

A new generation of wind powered ventilator with aerodynamic design for ultra high operating efficiency at low wind speed. Unique Australian design with local manufacture. Made from robust UV stabilised ASA Polymer which offers excellent hail resistance. Fitted with precision stainless steel bearings offering a 15 year warranty. Tested to 220 km/hr and certified to meet Australian dynamic rain penetration standard. SparkGuard also available, which meets Australian Standard AS3959:1999 for fire prone areas. Optional low voltage 'Add A Fan' available.



Available in 10 popular colours:

- Black
- Caulfield Green
- Gull Grey
- Mist Green
- Slate Grey
- Brown
- Clay Pot
- Homestead
- Mountain Blue
- Stone

WINDMASTER – THE REPLACEABLE BEARING VENTILATOR

An Australian designed aluminium ventilator with unique bottom double bearing holder for long life and quiet operation. This patented feature enables the quick replacement of bearings if ever necessary – a world first. The Ventilator head is also reinforced against hail damage. Ten year warranty for bearings, life time guarantee on body. SparkGuard also available.



Available in a large range of colours:

- Armour Grey
- Caulfield Green
- Mist Green
- Rivergum
- Azure Grey
- Clay Pot
- Mountain Blue
- Slate Grey
- Birch
- Gull Grey
- Off White
- Smooth Cream
- Black
- Heritage Red
- Pale Terracotta
- Stone
- Brown
- Merino
- Pink Buff
- Stromboli
- Torres Blue
- Tuscan Red
- Wheat

SUPERWHIRLY – FOR CYCLONIC CONDITIONS

A 300 mm aluminium ventilator specifically designed to give extra long life in harsh wind conditions and locations. Meets "Darwin Deemed To Comply". Very robust construction with nylon glass fibre bearing holder and support arms. Patented bearing system ensures top and bottom bearings always in perfect alignment. Solid steel bearings with no plastic components.




ECOFAN – SUB FLOOR VENTILATION

A low voltage powered fan unit which can be inserted in external sub floor walling to ventilate sub floor areas. Air extraction rate is 4,000 litres per minute. Items included: DC adaptor (12v, 1 amp), 5 metres of low voltage wire and line connectors. Annual running cost less than \$7. Quiet operation. Easy to install, no electrician required. This product is recommended by pest controllers, timber floor companies and property maintenance experts.



VENT A ROOM AND BATHROOM KIT

A natural ventilation system designed to remove trapped heat or moisture from rooms. The Vent A Room system includes a controllable 250mm round ceiling register, 3m of flexible ducting and a Supavent roof ventilator. This system is ideal for homes that are unoccupied during the day. It enables hot stuffy air to be removed without the need for opening windows.



The **Bathroom Vent System** is designed for the continuous extraction of moisture and odours from bathrooms. It incorporated the 150mm Turbo Ventura ventilator, 3m of ducting and a controllable 150mm round ceiling register.

SOLABRITE – TUBULAR SKYLIGHTS


High quality at a low price, the Solabrite range is available in 2 throat sizes – 300mm and 400mm. Top and bottom Aluminium reflectors capture and reflect the suns rays to illuminate your home. Soft aluminium flashing allows the unit to be installed on most roof types. Easy to install by the home handyperson.



TURBO VENTURA / SEWER VENT

A 150mm throat, vertical vaned ventilator constructed from ASA polymer. ASA is UV stabilised and has excellent hail resistance. Precision full steel bearings are located in the top and bottom of the unit. Suitable for use in small roof spaces. Currently available in Brown and White.

The **Sewer Vent** is a white Turbo Ventura head only, but utilising stainless steel bearings, to withstand the impact of acidic air streams from sewers, pits and drains. A 150mm to 100mm aluminium reducer is available.



Ceiling Register

A range of 3 sizes – 150mm, 200mm and 250mm. These round ceiling grilles can be opened and closed to control the flow of air. Able to be fitted with ducting to allow direct extraction of air from a room.

- 1** C/REG 250
- 2** C/REG 200
- 3** C/REG 150

AirMaster 150

Ideal for use in mechanical exhaust systems in public/commercial toilets and for use in the Edmonds Air Exchanger system. Product fits neatly into plasterboard ceilings and magnetic latch grille face can be easily removed for cleaning to prevent dust or bacterial build-up.

- 4**

Whirly Mate

A 305mm easy to operate, closable ceiling register ideal for assisting in direct home ventilation. When used in conjunction with an Edmonds ventilator it allows hot air to escape from inside the room. Supplied standard with insect mesh and control tool for ease of operation.

- 5**

AirMaster

A revolutionary magnetic grille ideal for use in ventilation or air conditioning systems. Available in 2 throat sizes – 250mm and 300mm, with either a 3 or 4 way grille. The grille can be easily removed for cleaning. Aerodynamic throat design improves energy efficiency of entire air conditioning system.

- 6**

GRILLES

Edmonds manufactures and supplies a comprehensive range of air duct grilles, which are suitable for air conditioning outlets or as an integral part of a natural ventilation system.

SECOND BROCHURE AVAILABLE FOR POWER AND HYBRID SYSTEM

AUSTRALIAN SINCE 1934 PO BOX 511, BROOKVALE NSW AUSTRALIA 2100 Web: www.edmonds.com.au Email: sales@edmonds.com.au